

DISCHARGE IN LPM						0	4	18	28	37	44	50	56
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEADS IN METRES							
XEA1 058		0.5	0.37	1¼"	8	58	56	48	40	32	24	16	8
XEA1 07512		0.75	0.55	1¼"	12	86	84	72	60	48	36	24	12
XEA1 116		1.0	0.75	1¼"	16	115	112	96	80	64	48	32	16
XEA1 1524		1.5	1.10	1¼"	24	173	168	144	120	96	72	48	24

DISCHARGE IN LPM						0	10	20	30	40	50	60
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEADS IN METRES						
XEA15 057		0.5	0.37	1¼"	7	53	49	43	36	29	19	7
XEA15 07510		0.75	0.55	1¼"	10	76	70	61	52	41	26	10
XEA15 114		1.0	0.75	1¼"	14	106	97	86	74	57	39	14
XEA15 1520		1.5	1.1	1¼"	20	148	141	127	110	90	63	20
XEA15 227		2.0	1.5	1¼"	27	200	190	175	150	120	85	27
XEA15 340		3.0	2.2	1¼"	40	296	282	260	221	178	125	40

DISCHARGE IN LPM						0	12	13	25	37	46	51	54
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEADS IN METRES							
XEA2 056		0.5	0.37	1¼"	6	45	42	39	36	30	24	18	12
XEA2 0759*		0.75	0.55	1¼"	9	68	63	59	54	45	36	27	18
XEA2 112*		1.0	0.75	1¼"	12	90	84	78	72	60	48	36	24
XEA2 1518*		1.5	1.1	1¼"	18	135	126	117	108	90	72	54	36
XEA2 224*		2.0	1.5	1¼"	24	180	168	156	144	120	96	72	48
XEA2 336		3.0	2.2	1¼"	36	270	252	234	216	180	144	108	72
XEA2 448		4.0	3.0	1¼"	48	360	336	312	288	240	168	144	96

DISCHARGE LPM						0	15	42	66	70	72	90
MODEL	BEE Star Rating	HP	kW	DELY. SIZE	No. OF STAGES	HEADS IN METRES						
XEA3 055		0.5	0.37	1¼"	5	32	30	25	20	15	10	5
XEA3 0757*		0.75	0.55	1¼"	7	45	42	35	28	21	14	7
XEA3 19*		1.0	0.75	1¼"	9	58	54	45	36	27	18	9
XEA3 1514*		1.5	1.1	1¼"	14	90	84	70	56	42	28	14
XEA3 218*		2.0	1.5	1¼"	18	116	108	90	72	54	36	18
XEA3 328*		3.0	2.2	1¼"	28	180	168	140	112	84	56	28
XEA3 436		4.0	3.0	1¼"	36	231	216	180	144	108	72	36

DISCHARGE IN LPM						0	15	72	105	127	132	158
MODEL	BEE Star Rating	HP	kW	DELY. SIZE	No. OF STAGES	HEADS IN METRES						
XEA4 17*		1.0	0.75	1¼"	7	43	42	35	28	21	14	7
XEA4 1511*		1.5	1.1	1¼"	11	68	66	55	44	33	22	11
XEA4 214*		2.0	1.5	1¼"	14	87	84	70	56	42	28	14
XEA4 321*		3.0	2.2	1¼"	21	130	126	105	84	63	42	21

DISCHARGE IN LPM						0	50	108	153	178	191	195
MODEL	BEE Star Rating	HP	kW	DELY. SIZE	No. OF STAGES	HEADS IN METRES						
XEA5 14		1.0	0.75	2"	4	25	24	20	16	12	8	4
XEA5 156		1.5	1.1	2"	6	37	36	30	24	18	12	6
XEA5 28*		2.0	1.5	2"	8	49	48	40	32	24	16	8
XEA5 312*		3.0	2.2	2"	12	74	72	60	48	36	24	12
XEA5 416*		4.0	3.0	2"	16	99	96	80	64	48	32	16
XEA5 520*		5.0	3.7	2"	20	123	120	100	80	60	40	20
XEA5 624		6.0	4.5	2"	24	148	144	120	96	72	48	24
XEA5 7530		7.5	5.5	2"	30	185	180	150	120	90	60	30

DISCHARGE IN LPM						0	10	20	30	40	50	60	70	80	90	100	110
MODEL	BEE Star Rating	HP	kW	DELY. SIZE	No. OF STAGES	HEADS IN METRES											
HA4 428		4	3	1¼"	28	224	223	218	212	200	182	163	140	114	88	60	28
HA4 535		5.0	3.7	1¼"	35	280	273	262	250	235	220	200	175	142	110	75	35

DISCHARGE IN LPM						0	50	100	150	200	250	300	350	400	450
MODEL	BEE Star Rating	HP	kW	DELY. SIZE	No. OF STAGES	HEADS IN METRES									
MA8 27		2.0	1.5	2 1/2"	7	37	36	33	29	26	24	19	14	-	-
MA8 311		3.0	2.2	2 1/2"	11	58	56	52	45	40	37	29	22	-	-
MA8 414		4.0	3.0	2 1/2"	14	116	71	66	57	51	47	37	28	-	-
MA9 38		3.0	2.2	2 1/2"	8	46	44	41	37	34	30	26	21	16	10
MA9 411		4.0	3.0	2 1/2"	11	62	59	56	50	45	41	35	28	22	13
MA9 514		5.0	3.7	2 1/2"	14	78	75	71	63	57	52	44	35	28	16