

DISCHARGE IN LPM						0	75	90	104	115	125	135	144
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES							
ARB2 39*	2.0	3.0	2.2	50	9	108	90	81	72	63	54	45	36
ARB2 412*	2.0	4.0	3.0	50	12	144	120	108	96	84	72	60	48
ARB2 515*	3.0	5.0	3.7	50	15	180	150	135	120	105	90	75	60
ARB2 618*	2.0	6.0	4.5	50	18	216	180	162	144	126	108	90	72
ARB2 7522*	2.0	7.5	5.5	50	22	264	220	198	176	154	132	110	88
ARB2 1030*	1.0	10.0	7.5	50	30	360	300	270	240	210	180	150	120

DISCHARGE IN LPM						0	100	125	145	155	170	183	198
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES							
ARB25 36*	2.0	3.0	2.2	50	6	75	60	54	48	42	36	30	24
ARB25 49*	3.0	4.0	3.0	50	9	113	90	81	72	63	54	45	36
ARB25 512*	2.0	5.0	3.7	50	12	150	120	108	96	84	72	60	48
ARB25 615*	3.0	6.0	4.5	50	15	188	150	135	120	105	90	75	60
ARB25 7518*	2.0	7.5	5.5	50	18	225	180	162	144	126	108	90	72
ARB25 1022*	2.0	10.0	7.5	50	22	275	220	198	176	154	132	110	88
ARB25 12526*	2.0	12.5	9.3	50	26	325	260	234	208	182	156	130	102

DISCHARGE IN LPM						0	90	150	175	195	210	225	234
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES							
ARB27 36*	3.0	3.0	2.2	50	6	69	60	54	48	42	36	30	24
ARB27 48*	3.0	4.0	3.0	50	8	92	80	72	64	56	48	40	32
ARB27 510*	3.0	5.0	3.7	50	10	115	100	90	80	70	60	50	40
ARB27 612*	4.0	6.0	4.5	50	12	138	120	108	96	84	72	60	48
ARB27 7515*	3.0	7.5	5.5	50	15	173	150	135	120	105	90	75	60
ARB27 1020*	3.0	10.0	7.5	50	20	230	200	180	160	140	120	100	80
ARB27 12524*	3.0	12.5	9.3	50	24	276	240	216	192	168	144	120	96
ARB27 1530*	1.0	15.0	11.0	50	30	330	300	270	240	210	180	150	120

DISCHARGE IN LPM						0	120	155	195	205	222	238	255	276
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES								
ARB3 35*		3.0	2.2	50	5	65	55	50	45	40	35	30	25.0	20
ARB3 46*		4.0	3.0	50	6	78	66	60	54	48	42	36	30	24
ARB3 58*		5.0	3.7	50	8	104	88	80	72	64	56	48	40	32
ARB3 610*		6.0	4.5	50	10	130	110	100	90	80	70	60	50	40
ARB3 7512*		7.5	5.5	50	12	156	132	120	108	96	84	72	60	48
ARB3 1016*		10.0	7.5	50	16	208	176	160	144	128	112	96	80	64
ARB3 12520*		12.5	9.3	50	20	260	220	200	180	160	140	120	100	80
ARB3 1524*		15.0	11.0	50	24	312	264	240	216	192	168	144	120	96

DISCHARGE IN LPM						0	132	205	237	255	270	295	315	321
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES								
ARB35 56*		5.0	3.7	50	6	78	69	60	54	48	42	36	30	24
ARB35 68*		6.0	4.5	50	8	104	92	80	72	64	56	48	40	32
ARB35 7510*		7.5	5.5	50	10	130	115	100	90	80	70	60	50	40
ARB35 1013*		10.0	7.5	50	13	169	150	130	117	104	91	78	65	52
ARB35 12516*		12.5	9.3	50	16	208	184	160	144	128	112	96	80	64
ARB35 1520*		15.0	11.0	50	20	260	230	200	180	160	140	120	100	80

DISCHARGE IN LPM						0	270	309	342	370	395	410	432	
MODEL	BEE Star Rating	HP	kW	DELY.SIZE	No. OF STAGES	HEAD IN METRES								
ARB4 33*		3.0	2.2	50	3	36	30	27	24	21	18	15	12	
ARB4 44*		4.0	3.0	50	4	48	40	36	32	28	24	20	16	
ARB4 55*		5.0	3.7	50	5	60	50	45	40	35	30	25	20	
ARB4 66*		6.0	4.5	50	6	72	60	54	48	42	36	30	24	
ARB4 758*		7.5	5.5	50	8	96	80	72	64	56	48	40	32	
ARB4 1010*		10.0	7.5	50	10	120	100	90	80	70	60	50	40	
ARB4 12513*		12.5	9.3	50	13	156	130	117	104	91	78	65	52	
ARB4 1515*		15.0	11.0	50	15	180	150	135	120	105	90	75	60	
ARB4 2020*		20.0	15.0	50	20	240	200	180	160	140	120	100	80	